	Application No.	Applicant(s)
	Application No.	Applicant(s)
Notice of Allowability	10/840,093	LU ET AL.
Nouce of Anowability	Examiner	Art Unit
	Amy R. Cohen	2859
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>Amendment 12/30/05</u> .		
2. The allowed claim(s) is/are <u>1-18 and 20</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
•		
•	•	
Attachment(s)		
1. Notice of References Cited (PTO-892)	_	Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	 Interview Summary Paper No./Mail Da 	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date		ment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Statement	ent of Reasons for Allowance
	9. Other	
•		
•		•

Application/Control Number: 10/840,093

Art Unit: 2859

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Randy Tung on March 15, 2006.

The application has been amended as follows:

In the claims:

Replace claims 5 and 6 as follows:

- --5. (original) The method of claim 1 wherein said alignment marks are provided in substantially diametrically opposed relationship to each other on said control substrate.
- 6. (original) The method of claim 5 further comprising the step of measuring a second displacement between said second alignment mark at said homing position of said control substrate and said second alignment mark at said test position of said control substrate.--

Claim 17:

--providing first and second alignment marks on said control substrate;

assigning a first pair of homing coordinates for said first alignment mark and a second pair of homing coordinates for said second alignment mark on said Cartesian grid when said control substrate is in said homing position, said first and second pair of homing coordinates comprising said first position coordinates; and

Application/Control Number: 10/840,093

Art Unit: 2859

assigning a first pair of test coordinates for said first alignment mark and a second pair of test coordinates for said second alignment mark when said control substrate is in said test position, said first and second pair of test coordinates comprising said first position coordinates; and

wherein test center position coordinates are determined using said first pair of homing coordinates, said first pair of test coordinates, said second pair of homing coordinates, and said second pair of test coordinates—has been added after "center shift" in line 20.

Claim 19 has been canceled.

Claim 20, line 1 "The method of claim 19" has been replaced with -- The method of claim 18--.

Conclusion

- 2. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The following patents disclose alignment methods Lu (U. S. Patent No. 7,008,802), Chuang et al. (U. S. Patent No. 6,914,337), Shimazaki et al. (U. S. Patent No. 5,917,601), and Phillips (U. S. Patent No. 4,676,649).
- 3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Amy R. Cohen whose telephone number is (571) 272-2238. The examiner can normally be reached on 8 am 5 pm, M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Diego F. Gutierrez can be reached on (571) 272-2245. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/840,093

Art Unit: 2859

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

ARC March 15, 2006

Diego Gutierrez Supervisory Examiner Tech Center 2800 Page 4